

**To:** Wagner, Christine[Wagner.Christine@epa.gov]  
**Cc:** [Nonresponsive based on revised scope]@tetrattech.com]; [Nonresponsive based on revised scope]@tetrattech.com]; R3 Clients[R3\_Clients@epa.gov]  
**From:** Poff, Kevin[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=CE5DA896C6A74A6A89F5D9E64B083492-KPOFF]  
**Sent:** Wed 11/4/2020 12:37:46 PM (UTC)  
**Subject:** CT9039 Shiloh Church Road Removal Final Clients Notification  
CT9039 Shiloh Church Road Removal Final Clients Notification.pdf

Good Morning Christine,

**In regards to RAS 49202, a separate notification will be sent to the samplers from SMO with the CLP RAS Laboratory assignment for those parameters listed under that RAS. If you have any questions regarding the RAS, please contact J. Burman at 410-305-2743. Please follow the directions for the notification of the sample shipment for the RAS-CLP case.**

If you have any questions, please let us know. Thanks and have a great day !

*Kevin Poff*  
Chemist  
USEPA Environmental Science Center  
701 Mapes Road  
Fort Meade, MD 20755  
(410) 305-2938 (W)  
(410) 305-3009 (F)  
Poff.kevin@epa.gov